



www.hanlong.com.tw




Ratchet Crimping Tool, with interchangeable die set


















<<HT-336Fm(Frame Only) 8.7"(220mm)

Die Sets are interchangeable,except HT-311M,HT-301X and HT-301



	COMPLETE	REPLACEMENT DIE SET	HEX AIZE	DESCRIPTION
	HT-336FM	-----	-----	Frame Only
	HT-336A	HT-336A DIE	.256" .068" .213" (6.50/1.72/5.41mm)	RG 58, 59, 62
	HT336C	HT-336C DIE	.256" .319" .068" .213" (6.50/8.10/1.72/5.41mm)	RG 58, 59 ,62, 6
	HT-336C1	HT-336C1 DIE	.068" .216" .324" .360" (1.72/6.65/8.23/9.14mm)	F-59, 62, 6

				
	HT-336C2	HT-336C2 DIE	.068" .262" .324" .360" (1.72/6.65/8.23/9.14mm)	CATV "F" connectors RG 59, 6
	HT-336D	HT-336D DIE	.213" .256" .068" .324" (5.41/6.50/1.72/8.23mm)	RG 58, 59, 62, 6
	HT-336F1	HT-336F1 DIE	.042" .068" . .133" .162" .195 (1.07/1.72/ 3.38/4.11/4.95mm).	Fiber Optic SMA(Oval Type)
	HT-336F2	HT-336F2 DIE	.042" .068" . .151" .178" .213" (1.07/1.72/ 3.84/4.52/5.41mm).	Fiber Optic SMA, SMB Connectors RG 58, 174, Belden 8281
	HT-336G	HT-336G DIE	.043" .068" .100" . .137" .213" .255" (1.09/1.72/2.54/ 3.48/5.41/6.48mm)	RG 58, 59, 62, 174 Fiber Optic
	HT-336FM	-----	-----	Frame Only
	HT336J	HT336J DIE	.042" .068" .078" .128" .151" .178" (1.07/1.72/1.98/3.25/ 3.25/3.84/4.52mm)	RG 174, 179 Belden 8218 Fiber Optic
	HT-336K	HT-336K DIE	.100" .128" .429" (2.54/3.25/10.90mm)	RG 8, 11, 174, 179, 213
	HT-336K	HT-336K3 DIE	.256" .068" .295" (6.50/1.72/7.49mm)	RG 59, 6
	HT-336V	HT-33KV DIE	.043" .069" .100" .128" .151" .213" (1.09/1.75/2.54/ 3.25/3.84/5.41mm)	SMA, SMB, SMC, MCX
	HT-236A	HT-236A DIE	.255" .187" .068" .213" (6.48/4.75/1.72/5.41mm)	RG 58, 59, 62, 174

				
	HT-236I	HT-236I DIE	.248" .213" .100" .068" .324" (6.48/5.41/ 2.50/1.72/8.23mm)	RG 58, 59, 6, 174
	HT-236PA	HT-236PA DIE	.255" .213" .100" .068" .324" (6.48/5.41/ 2.50/1.72/8.23mm)	RG 58, 59, 62, 6
	HT-236HI	HT-236H1 DIE	.255" .320" .350" (6.48/8.13/8.90mm)	CATV F ConnectorsRG 59, 6

Close Window